# Blue Line IPC-6700 Power



## Highlights

4U rack mount industrial pc or GPU server

- Fast & flexible industrial pc
- Intel 6th / 7th gen core processor
- Supports full length/height card
- Windows 7 / 8 / 10
- 4 x USB, 2 x GbE
- Optional 4 x COM, 8 x USB, DIO
- Supported with Long Life Cycle
- Short depth chassis (510mm)
- · Build-to-order configured to the requirements





- has more than 30 years experience
- delivers reliable IT solutions for demanding environments
- builds compact and high performance solutions
  focuses on long duration, 24/7-operation, and ruggedness
- is ISO 9001:2015-certified
- is known for providing the best assistance and services in all phases.

## Specifications

Model Type Rack PC	Rear	1 x VGA, 4 x USB 3.0 (2 x Rear / 2 x Front) RJ45 LAN1: Intel I219LM with Intel AMT 11.0 supported RJ45 LAN2: Intel I210
Form Factor 4U		Option for 1 x (VGA / HDMI / DP / DVI) / 1 x LPT / 2 x RS-232 / 2 x (RS-232 / 422 / 485) / 1 x 6pin wafer KB/MS
	Internal	10 x USB 2.0 (6 x pin header, 4 x backplane pin header),
Construction Heavy duty cold rolled steel		1 x mSATA (support SATA 6GB/s signal only), 6 x SATA 6GB/s (RAID 0/1/5/10 supported)

## Cooling

One 120 x 120 x 25mm system front fan, with dustfilter Option for dual front fan Option for 120 x 120 x 25mm low noise fan Option for 120 x 120 x 38mm 4pin PWM fan (max speed 4000 RPM)

## Certification

CE

### Processor

Intel Core 6th / 7th gen. i3 / i5 / i7 Pentium Celeron

## Chipset

Intel Q170 with integrated Intel graphics HD generation 9

LINE

IT for Demanding Environments

## RAM

Up to 64GB, four 288pin DDR4 UDIMM 2133MHz

## Storage

3 x 5.25" / 1 x 3.5" drive bay (Option for internal 2.5" / 3.5" drives)

## **Rear Input / Output**

## Expansion

Passive backplane with 12 available slots: 8 x PCI, 1 x PCIe (x16), 3 x PCIe (x1)

## **Operating System**

Windows 7\* / 8 / 10 Windows Embedded 7\* / 8 Windows 10 IoT Enterprise Linux \*(7th gen CPU do not support Windows 7)

### **Power Supply**

500W, 80mm fan, fullrange, 80 plus platinum Option for redundant PSU

### **Dimension and Weight**

19" H 177 x W 427 x D 510mm

## Mounting

Rack mount

## **Accessories Included**

Rack mount kit

## **Accessories Optional**

Rack mount rail kit

TPM 1.2 & 2.0 hardware security function supported by TPM module

Warranty and After Sales Support



Blue Line A/S | Kappa 8 | 8382 Hinnerup, Denmark T +45 8678 5000 | www.blue-line.com Standard 1 year (option for 3 years)

**Ordering Information** 

2200



Blue Line A/S | Kappa 8 | 8382 Hinnerup, Denmark T +45 8678 5000 | www.blue-line.com