

High Pressure IP69K Waterproof HMI Panel PC 13.3" OP Series



Highlights

The most complete high pressure IP69K waterproof HMI Panel PC developed for demanding food production like meat, fish and poultry. Withstands intensive spray down and high pressure cleaning over and over again.

Benefit from the full HD resolution not commonly seen in this screen size. Avoid condensation with the optical bonded, splinter proof and auto-calibrated multi touch screen operable with gloves.

The back side of the HMI supports tube mounting with hidden connectors and cables providing the market's best long term protection against high pressure water treatment. The ultimate durability is fulfilled with low power consumption, passive cooling and no moving parts.

- Food / wet environment
- IP69K high pressure waterproof PC
- 13.3" PCAP multi touch panel PC
- Stainless steel AISI 316L
- Easy to clean
- Splinter-proof front
- Full HD resolution 1920 x 1080
- Optical bonding
- Integrated pc / client
- Fanless operation
- Windows 7 / 8 / 10
- Tube mount with hidden connectors and cables
- Other mounting VESA / wall / pipe / swivel arm / gas arm
- Long product life cycle
- Customisation according to your requirements



BLUE LINE
IT for Demanding Environments

- has more than 30 years experience
- delivers reliable IT solutions for demanding environments
- builds compact and high performance solutions
- focuses on long duration, 24/7-operation, and ruggedness
- is ISO 9001:2015-certified
- is known for providing the best assistance and services in all phases.

High Pressure IP69K Waterproof HMI Panel PC

13.3" OP Series

Specifications

Model Type

High pressure IP69K HMI Panel PC

Construction

Fully sealed enclosure in acid resistant stainless steel AISI 316L

Cooling

Fanless

Ingress Protection

IP66/IP69K

Environment

Operating temperature 0°C to +40°C
Storage temperature -30 to +70°C
Humidity 10 to 90% @ +40°C, non-condensing

Certification

CE / FCC CLASS A

Display

13.3" 1920 x 1080, 16:9, FHD LCD panel

Touch

Projected capacitive multi touch (supports gloves)
Optical bonding

Brightness

400 nits

Viewing Angle

160/160

Processor

Intel Atom Bay Trail E3845 quad core, 1.9GHz

Chipset

Integrated SoC

RAM

8GB DDR3L SO-DIMM

Storage

1 x 2.5" SATA SSD / HDD
1 x mSATA

Rear Input / Output

2 x Gbe LAN
1 x USB 2.0 connector
1 x M12 3pin DC power
1 x M4 ground screw
All connectors come with waterproof cap

Expansion

1 x MiniPCIe slot

Operating System

Windows 7 / 8 / 10
Windows Embedded Standard 7 / 8
Windows 10 IoT

Thin Client

ThinManager, Microsoft Remote Desktop (RPD), NoTouch OS, VNC, Citrix and others

Power Supply

+9V to +36V DC-in by M12 3-pin

Power Consumption

Max 30W

Mounting

VESA 100
Stainless steel tube / wall / pipe / supporting arm
Other options available according to requirements



High Pressure IP69K Waterproof HMI Panel PC 13.3" OP Series

Dimension and Weight

13.3"	H 286 x W 415 x D 45mm	6kg
Chassis including connectors	H 286 x W 415 x D 63mm	6kg, tube mount 1kg

Accessories Included

Stainless steel tube mount
USB Cable
AC to DC power adapter

Accessories Optional

M12 DC power cable
M12 USB cable
M12 LAN cable

Warranty and After Sales Support

Standard 1 year (option for 3 years)

Ordering Information

1555-1

